



PROFESSIONAL
TURF CARE EQUIPMENT



WESSEX PROLINE G2



When only the best will do...



**BRITISH MANUFACTURING
EXCELLENCE SINCE 1962**

*WE SPECIALISE IN THE
FINEST QUALITY CUT GRASS!*

FOLLOW US ON SOCIAL:    



CONTACTS AND GENERAL ENQUIRIES

SALES
T: 01264 345870
(OPTION 2)
E: sales@wessexintl.com

PARTS
T: 01264 345870
(OPTION 1)
F: 01264 345880
E: parts@wessexintl.com

PRODUCT SUPPORT
T: 01264 345870
(OPTION 2)
E: service@wessexintl.com

WARRANTY
T: 01264 345888
E: warrantyadmin@wessexintl.com

MARKETING
T: 01264 345870
(OPTION 5)
E: marketing@wessexintl.com

GLOBAL HEADQUARTERS Charlton House, Caxton Close, East Portway Ind. Est., Andover, Hampshire, SP10 3QN
T: +44 (0)1264 345870 **F:** +44 (0)1264 345880 **E:** sales@wessexintl.com **www.wessexintl.com**



**WELCOME TO WESSEX
INTERNATIONAL**

FOR THE PAST 60 YEARS, we have been manufacturing superb quality British built machines for the groundcare market. Our equipment is built for demanding applications, where reliability and durability are paramount.

WE MANUFACTURE MACHINERY FOR PROFESSIONALS THAT REQUIRE;

- ✓ **LESS MAINTENANCE**
- ✓ **RELIABILITY**
- ✓ **THE FINEST CUT QUALITY ON THE MARKET**

ALL WITH THE MAIN FOCUS TO;

- ✓ **INCREASE PROFITABILITY**



60 years and counting...

Since 1962 we've pride ourselves on our commitment to providing excellent customer service, backed up by a strong dealer network. The local dealer support is on hand to see you through your Wessex journey and the machine's lifetime.

TO BOOK A DEMO, PLEASE GET IN TOUCH, AND LET US PROVE THE WESSEX BENEFITS TO YOUR ORGANISATION.



**WESSEX PROLINE
DEALERS**



**WESSEX PROLINE
3 YEAR WARRANTY**

All **RMX** rollers mowers, **CRX** MultiCut mowers and the **FRX** out-front flails are available with a **3 YEAR MANUFACTURERS WARRANTY**. These machines come with a standard one year warranty, and a further 2 years is available at no cost by simply returning a request form at the time of machine installation. This can be downloaded via the website. www.wessexintl.com/warranty-registration/



1962
In the heart of rural Hampshire, **WESSEX** began manufacturing grass cutting and forage equipment.



1970s
WESSEX were the first to manufacture a range of scaled down implements to suit the new compact tractor from Japan.



1980s
WESSEX increased their focus on equipment to meet the needs of landscapers and grounds maintenance contractors.



1990s
Introduction of **G1** roller mowers. The P18R roller mower in Ford blue **WESSEX** livery produced excellent results.



2008
Broadwood International acquired **WESSEX MACHINERY** – now a leading manufacturer of professional grounds maintenance machinery.



2012
WESSEX celebrates **50 YEARS** of manufacturing and innovation



2013
Introduction of **RMX** tri-deck roller mowers. The demand for wide area rotary mowers to replace costly cylinders was on the rise.



2014
In line with the increased focus on global distribution of the **WESSEX** product range, the company has been renamed **WESSEX INTERNATIONAL**. This coincides with relocation to the current 50,000sqft factory in Andover, Hampshire.



2016
WHAT KIT - Tractor mounted mower of the year award. **CRX** multicut wins for exceptional clippings dispersal



2021
Built on the success of the market-leading **G1**, we have consulted, refined, and engineered the **G2** to set us apart in wide-area mowing.



2022
WESSEX celebrates **60 YEARS** of manufacturing and innovation

ORDER YOUR WESSEX PARTS ONLINE NOW!

- ✓ CHECK STOCK LEVELS
- ✓ VIEW EXPLODED DIAGRAMS
- ✓ PAY VIA PAYPAL, OR CREDIT CARD
- ✓ SAME DAY DESPATCH*
- ✓ NEXT DAY CARRIER SERVICE
- ✓ VIEW ORDER HISTORY (PERFECT FOR RE-ORDERING)

ORDER ONLINE NOW...



A MESSAGE FROM OUR PARTS MANAGER JON BLAKE:

OUR ONLINE PARTS STORE IS OPEN 24 HOURS A DAY, 365 DAYS A YEAR. ORDER YOUR PARTS FROM YOUR MOBILE OR COMPUTER AND WE'LL TAKE CARE OF THE REST.

T: 01264 345878 **E:** parts@wessexintl.com

SPARE PARTS

ONLY GENUINE WESSEX SPARE PARTS SHOULD BE USED TO MAINTAIN OPTIMUM PERFORMANCE FROM YOUR WESSEX MACHINE.

To minimise costly machine downtime, parts orders are dispatched daily to our professional dealer network by next-day carrier service (UK mainland), and 2 day for UK Highlands & Islands.

IF ORDERED BEFORE 1:00PM, parts will be dispatched the same day (subject to availability).





COWDRAY PARK POLO CLUB – THE HOME OF BRITISH POLO

With a long and illustrious history, Cowdray Park is recognized worldwide as the Home of British Polo. Set in an area of outstanding natural beauty within Viscount Cowdray's 16,500 acre estate, in West Sussex, the game of polo has been played at Cowdray for close on a century – the first competitive tournaments being recorded in 1910.

Michael and the team at Cowdray have been using Wessex mowers for many years and currently have three RMX wide area mowers to cut up to 400 acres per day.

“ During our polo season we're mowing every day at around 1 inch in height. Cutting at this height is very important to ensure the polo ball runs fast and smooth, and with the Wessex mowers they are very simple to adjust. The quality of cut is excellent and the full width rollers on the RMX gives an excellent stripe, and they also ensure the ground is smooth which helps the ball to bounce. Our polo players love the prestigious stripe, and always comment on how great the pitch looks. Compared to our gangs' mowers the maintenance is very simple and they are extremely reliable. ”

MICHAEL – COWDRAY PARK POLO GROUNDS TEAM



When only the best will do...



PROFESSIONAL ROTARY MOWERS



SEE PAGE **12**

CRX RIGID-DECK
MULTI-CUT ROLLER MOWERS

CRX RIGID-DECK AT A GLANCE

- ✓ **RIGID-DECK**
- ✓ **WORKING WIDTHS FROM:**
1.5, 1.8 & 2.4 METERS
- ✓ **IDEAL FOR:**
LARGE AMENITY AREAS
SCHOOLS & UNIVERSITY
SPORTS PITCHES
LARGE GARDENS
PRIVATE ESTATES
- ✓ **FOR TRACTORS FROM 18HP**



SEE PAGE **14**

CRX TRI-DECK
ROLLER MOWERS

CRX TRI-DECK AT A GLANCE

- ✓ **TRI-DECK**
- ✓ **WORKING WIDTHS FROM:**
3.2, 4.1 & 5.0 METERS
- ✓ **IDEAL FOR:**
LARGE AMENITY AREAS
SCHOOLS & UNIVERSITY
SPORTS PITCHES
POLO & RACECOURSE
GOLF
- ✓ **FOR TRACTORS FROM 35HP**



SEE PAGE **20**

RMX RIGID-DECK
PROFESSIONAL ROLLER MOWERS

RMX RIGID-DECK AT A GLANCE

- ✓ **RIGID-DECK**
- ✓ **WORKING WIDTHS FROM:**
1.8, 2.4 & 3.0 METERS
- ✓ **IDEAL FOR:**
COUNCILS
CONTRACTORS
SCHOOLS & UNIVERSITY
SPORTS PITCHES
LARGE ESTATES
- ✓ **FOR TRACTORS FROM 30HP**



SEE PAGE **22**

RMX TRI-DECK
PROFESSIONAL ROLLER MOWERS

RMX TRI-DECK AT A GLANCE

- ✓ **RIGID-DECK**
- ✓ **WORKING WIDTHS FROM:**
5.0, 6.2, 6.8 & 8.0 METERS
- ✓ **IDEAL FOR:**
COUNCILS & LARGE AMENITY AREAS
CONTRACTORS
POLO PITCHES & RACECOURSES
SPORTS TURF
TURF FARMS
SCHOOLS & UNIVERSITY
AIRFIELDS
- ✓ **FOR TRACTORS FROM 60HP**

FLAIL MOWERS



SEE PAGE **28**

FRX OUTFRONT
FLAIL MOWERS

FRX SERIES AT A GLANCE

- ✓ **OUTFRONT FLAIL**
- ✓ **WORKING WIDTH**
1.5 METER
- ✓ **IDEAL FOR:**
COUNCILS
CONTRACTORS
- ✓ **FOR THE LEADING BRANDS OF POWER UNITS**
- ✓ **PTO OR HYDRAULIC DRIVE**

COLLECTORS



SEE PAGE **30**

STC MULTI-FUNCTIONAL
COLLECTORS

STC SERIES AT A GLANCE

- ✓ **AVAILABLE AS A SWEEPER, FLAIL & SCARIFIER COLLECTOR**
- ✓ **WORKING WIDTHS FROM:**
1.2 & 1.8 METERS
- ✓ **IDEAL FOR:**
PRIVATE ESTATES
GOLF COURSES
SPORTS PITCHES
COUNCILS
CONTRACTORS
- ✓ **FOR TRACTORS FROM 18HP**



INTRODUCING G2 CRX SERIES MOWERS

AVAILABLE IN both rigid and tri-deck configurations, the CRX is one of the most popular Wessex machines to date.

- ✓ **PROVEN TO PRODUCE THE HIGHEST QUALITY OF CUT ON THE MARKET IN ALL WEATHER CONDITIONS**
- ✓ **LOW TRACTOR HP REQUIREMENTS** – Achieve wide cut widths with small tractors
- ✓ **MINIMAL MAINTENANCE** – Reduced grease points that are easily accessible.
- ✓ **HIGHLY VERSATILE** – Able to produce superb results in a variety of applications

KEY FEATURES & BENEFITS

- ✓ **ANTI-SCALP ROLLERS** – Prevents scalping
- ✓ **ALL SPINDLES GREASABLE ABOVE THE DECK** – Ease of maintenance
- ✓ **SIMPLE BELT ADJUSTMENT** – Ease of maintenance
- ✓ **BELT DRIVE ON MOWER DECK** – For ultimate driveline shock protection
- ✓ **ROLLERS ADJUSTED BY SIMPLE SCREW-THREAD MECHANISM** – Simple height adjustment
- ✓ **HIGH BLADE TIP SPEED** – Premium finish at fast forward speeds
- ✓ **BAFFLES AROUND BLADES** – Even grass distribution
- ✓ **SIMPLE CUTTING HEIGHT ADJUSTMENT** – From 10mm - 110mm

When only the best will do...



King's Hall School TAUNTON

“ At Kings Hall School, we previously cut nine hectares of outfield with hydraulic gangs. This meant we had to mow at lower cutting heights to stay on top of the grass, which resulted in greater frequency of mowing and in turn, lost man hours, wet mowing, grass clippings, greater compaction and moss through the winter.

It was an area that had to be addressed, so we looked at four brands of trail rotary mowers that cut at 40mm in both wet and dry conditions. The Wessex CRX 320 delivered. It has the best finish, disperses all clippings, is the most robustly built, has easy controls, clearly marked greases points, very straight forward height adjustment and the transport position makes it easy for cleaning the mower. On top of that, the price was great and the offer of three years warranty strengthened our faith in the machine.

We are now 14 months into owning a CRX 320 and have had no issues, plus there is still plenty of meat left on the blades. We are delighted with the performance, and it has enabled us to maintain our grass at a greater height and reduce the cutting frequency.

I'm not keen on mowing in the wet but respect that sometimes needs must. The CRX 320 cuts brilliant in all conditions and still manages to disperse all grass clippings with ease. The rear rollers leave a very polished finish and we have received great feedback on both the condition and presentation of the outfields.

The move to the Wessex CRX 320 has played a huge part in this. “

CRX-320
KING'S HALL SCHOOL, TAUNTON



MODEL SHOWN **CRX-320 AT MILNGAVIE GOLF CLUB SCOTLAND**



✓ **IDEAL FOR:** LARGE AMENITY AREAS, SCHOOLS & UNIVERSITY, SPORTS PITCHES, LARGE GARDENS & PRIVATE ESTATES

The Wessex **PROLINE CRX SERIES** MultiCut mowers are truly at the cutting edge of turf mowing technology, offering a cut quality equal to a cylinder mower on sports turf at a fraction of the purchase price and maintenance costs. Suitable for tractors from 18hp.

✓ **SUITABLE FOR TRACTORS FROM 18HP**

✓ **AVAILABLE AS A ROLLER MOWER OR COMBINATION MOWER** – It's your choice

✓ **TORNADO VENTS** – Precise airflow for premium cut and clipping dispersal

UNIQUE FEATURES & BENEFITS



TORNADO VENTS – AIR RUSHES THROUGH THE VENTS TO ENSURE THE GRASS IS LIFTED FOR A PERFECT, CLEAN CUT EVERY TIME.



SIMPLE CUTTING HEIGHT ADJUSTMENT

CRX MODES



Mode 1 **ROLLER MOWER**

✓ **2 ROLLERS FOR WIDE OPEN AREAS** – and maximum results



Mode 2 **COMBINATION MOWER**

✓ **CASTORING WHEELS AT THE FRONT TO REDUCE TURF SCUFFING WHILST TURNING** – and a rear roller for the prestigious striped effect on the turf



✓ **REVERSIBLE HEAD STOCK FOR FRONT MOUNTING**

BLADE OPTIONS
(CRX-150 / CRX-180 / CRX-240)

✓ **PROMULCHER MULCHING BLADES**

✓ **GOLDCUT BLADES** – AS STANDARD



CRX RIGID-DECK MOWERS



	CRX-150	CRX-180	CRX-240
CUTTING WIDTH	1.5m	1.8m	2.4m
OVERALL WIDTH	1.66m	1.96m	2.56m
TRANSPORT WIDTH	1.66m	1.96m	2.56m
APPROX WEIGHT	266kg	294kg	365kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	3	3	3
POWER REQUIRED	18hp	20hp	25hp



SCAN TO SEE IT IN ACTION



✓ **IDEAL FOR:** LARGE AMENITY AREAS, SCHOOLS & UNIVERSITY, SPORTS PITCHES, POLO & RACECOURSE & GOLF

The Wessex **PROLINE CRX-320** is the most nimble, precise, ground hugging Wessex machine to date. For an exceptional mowing experience in all weather, look no further than the CRX-320.

The CRX-320 is the perfect mower for maintaining your golf course or sports turf, and it just loves undulations. This nimble mower will hug ground contours whilst providing an incredible striped finish.

- ✓ **SUITABLE FOR TRACTORS FROM JUST 35HP**
- ✓ **FOLLOWS GROUND UNDULATIONS WITH EASE**
- ✓ **EXCEPTIONAL FINISH IN ALL WEATHER CONDITIONS**

UNIQUE FEATURES & BENEFITS

- ✓ **FULL WIDTH ROLLERS FRONT & REAR** – Precision cut and full width stripe on the turf
- ✓ **COMPACT ROLLER CONFIGURATION** – Maximises ground contour following
- ✓ **EXCELLENT FLOATING CAPABILITIES** – Hugs the undulations closely
- ✓ **WIDE ANGLE PTO** – Zero turn capabilities
- ✓ **REQUIRES ONLY 35HP TRACTOR** – Economical to operate
- ✓ **REQUIRES ONLY ONE DOUBLE ACTING SPOOL VALVE** – Complements the simplest tractor
- ✓ **TURF TYRES** – Minimal turf compaction
- ✓ **THE DUALFORCE ROLLER SYSTEM (PATENT PENDING) WITH TWIN BEARINGS** – Innovated to increase bearing life in demanding applications. Designed to withstand side thrust when turning during mowing
- ✓ **OPTIONAL HIGHWAY KIT** – Allows road legal towing

CRX TRI-DECK MOWERS

	CRX-320
CUTTING WIDTH	3.2m
OVERALL WIDTH	3.35m
TRANSPORT WIDTH	2.1m
APPROX WEIGHT	1,360kg
CUTTING HEIGHT RANGE	10-110mm
NO. OF CUTTING SPINDLES	9
POWER REQUIRED	35hp+



DUALFORCE
ROLLER SYSTEM

MORE GREAT FEATURES



TIGHT TURN – ZERO TURN AROUND OBSTACLES



PRO-LIFT – ALLOWS SIMPLE PARTIAL DECK LIFT FOR CROSSING PATHS



SIMPLE CUTTING HEIGHT ADJUSTMENT

CRX-320 OPTIONS

- ✓ **SPRUNG AXLE**
- ✓ **MUD GUARDS AND LIGHTS**
- ✓ **MULCHING BLADES**

BLADE OPTIONS
(CRX-320)

- ✓ **PROMULCHER MULCHING BLADES**
- ✓ **GOLDCUT BLADES** – AS STANDARD



SCAN TO SEE IT IN ACTION



✓ **IDEAL FOR:** UNDULATING GROUND, GOLF COURSES & SPORTS TURF

The Wessex **PROLINE CRX-410** and **CRX-500** are superb Tri-Deck mowers, suited to tractors from 40hp upwards. They are ideal for maintaining sports pitches, playing fields and amenity turf, as well as golf course rough and semi-rough. Some courses are even using them on the fairways.

- ✓ **SUITABLE FOR TRACTORS FROM JUST 40HP**
- ✓ **FOLLOWS GROUND UNDULATIONS WITH EASE**
- ✓ **EXCEPTION FINISH IN ALL WEATHER CONDITIONS**
- ✓ **TORNADO VENTS** – Precise airflow for premium cut and clipping dispersal

UNIQUE FEATURES & BENEFITS

- ✓ **FRONT WHEELS AND FULL WIDTH REAR ROLLER** – Precision cut and full width stripe on the turf
- ✓ **SUSPENSION** – Smooth road travel
- ✓ **EXCELLENT FLOATING CAPABILITIES** – Hugs the undulations closely
- ✓ **WIDE ANGLE PTO** – Zero turn capabilities
- ✓ **REQUIRES ONLY 40HP TRACTOR** – Economical to operate
- ✓ **REQUIRES ONLY ONE DOUBLE ACTING SPOOL VALVE** – Complements the simplest tractor
- ✓ **PATENTED REARSTEER DECK TO FOLLOW DIRECTION OF TRAVEL** - Minimal ground scuffing
- ✓ **TURF TYRES** – Minimal turf compaction
- ✓ **OPTIONAL HIGHWAY KIT** – Allows road legal towing

CRX TRI-DECK MOWERS



	CRX-410	CRX-500
CUTTING WIDTH	4.1m	5.0m
OVERALL WIDTH	4.24m	5.14m
TRANSPORT WIDTH	2.1m	2.1m
APPROX WEIGHT	1,500kg	1,665kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	9	9
POWER REQUIRED	40hp	45hp

MORE GREAT FEATURES



TORNADO VENTS – AIR RUSHES THROUGH THE VENTS TO ENSURE THE GRASS IS LIFTED FOR A PERFECT, CLEAN CUT EVERY TIME.



SIMPLE CUTTING HEIGHT ADJUSTMENT



CRX-410 FOLDED AWAY

CRX-410 / CRX-500 OPTIONS

- ✓ **ROAD KIT (INC LED LIGHTS & MUD GUARDS)**
- ✓ **MULCH BLADES KIT**

BLADE OPTIONS
(CRX-410 / CRX-500)

- ✓ **PROMULCHER MULCHING BLADES**
- ✓ **GOLDCUT BLADES – AS STANDARD**



SCAN TO SEE IT IN ACTION



INTRODUCING G2 RMX SERIES MOWERS

BUILT ON THE SUCCESS of the market-leading **G1**, we have consulted, refined, and engineered the **G2** to set us apart in wide-area mowing.


LESS MAINTENANCE, MORE FEATURES, INCREDIBLE RELIABILITY AND LESS DOWNTIME THAN EVER BEFORE RESULT IN INCREASED PROFITS AND THE FINEST CUT QUALITY ON THE MARKET.

- ✓ **IT IS PROVEN TO PRODUCE THE FINEST CUT QUALITY ON THE MARKET** – The best presentation in all weather conditions.
- ✓ **A STRONG AND RELIABLE DRIVE TRANSMISSION** – Means less downtime
- ✓ **LOWER TRACTOR HP REQUIREMENTS** – From just 30hp
- ✓ **MINIMAL GREASE POINTS** – Reduced maintenance

KEY FEATURES & BENEFITS

- ✓ **FULL WIDTH ROLLERS** – Follows ground contours accurately, leaving a professional striped effect on the turf.
- ✓ **5MM HEAVY PRESSED STEEL DECK** – Integral strength for long service life. Sand blasted and powder coated for maximum durability.
- ✓ **SIMPLE CUTTING HEIGHT ADJUSTMENT** – Single spanner operation allows infinite cutting height variation. Greasable threads are enclosed beneath the deck to protect from debris.
- ✓ **TWIN BELT DRIVE** – For maximum power transmission to cope with larger volumes of grass.

- ✓ **ROLLER SCRAPER** – Keeps rollers free of debris build-up.
- ✓ **ANGLED ROTOR BAFFLES** – Ensure even grass distribution across the full width of the machine.
- ✓ **ANTI-SCALP DISCS** – Eliminate scalping and protect the turf when cutting very low.
- ✓ **CAST ROLLER END CAPS WITH DUAL TAPER BEARINGS** – Ensure a long service life, as they are designed to withstand side-thrust when turning during mowing. Keep maintenance costs to a minimum, as components can be replaced individually.
- ✓ **GOLDCUT BLADES** – Zone hardened precision blades spin at 96m/sec for premium cut quality at a fast forward speed. Blades pivot to minimise stone damage, and have an upturn to generate suction effect.
- ✓ **REARSTEER DECK PIVOTS TO FOLLOW DIRECTION OF TRAVEL** – Patented design reduces turf damage while ensuring no uncut strips of grass.
- ✓ **INDEPENDENT FLOAT ON ALL DECKS** – Superb ground contour following.
- ✓ **THE LARGEST WHEELS & TURF TYRES** – For minimal ground compaction.
- ✓ **THE NARROWEST TRANSPORT WIDTH & INDEPENDENT SUSPENSION** – For smooth road travel.
- ✓ **PREMIUM CUT** – High blade tip speed gives superb results every time.
- ✓ **REDUCE FUEL CONSUMPTION** – Save up to 50% in fuel costs.
- ✓ **PROLIFT SYSTEM** – Partial deck lift for crossing paths, headland turns and cross-cut.



SIMPLE CUTTING HEIGHT ADJUSTMENT



TWIN BELT DRIVE – TO COPE WITH LARGER VOLUMES OF GRASS





✓ **IDEAL FOR:** COUNCILS, CONTRACTORS, SCHOOLS & UNIVERSITY, SPORTS PITCHES & LARGE ESTATES

Ideal for use on compact tractors from 30hp, Wessex **RMX RIGID DECK MOWERS** produce incredible results in all weather conditions. Full-width rollers front and rear, an exceptionally high blade tip speed, GoldCut blades, and rotor baffles ensure the grass clippings are dispersed evenly.

This feature ensures your lawns have a lasting stripe and are in peak condition throughout your mowing season, and it's how we can boast that. Wessex RMX mowers provide a cut equal to a cylinder mower but without the costly maintenance bill.

- ✓ **IDEAL FOR COMPACT TRACTORS FROM 30HP**
- ✓ **3 CUTTING WIDTHS AVAILABLE TO INCREASE OUTPUT**
- ✓ **LOW MAINTENANCE**

MORE GREAT FEATURES



“ Appearance is everything to us at Thruxton, and the **RMX-300** does an excellent job in all weather conditions. There isn't lots of dead grass, thanks to the high tip speed blades, and this is very important on the circuit and in the field car parks to reduce the risk of fire. ”

PAT BLAKENEY – THRUXTON MOTORSPORT CENTRE



FRONT MOUNTING OPTION



RMX G2 RIGID-DECK MOWERS

	RMX-180	RMX-240	RMX-300
CUTTING WIDTH	1.8m	2.4m	3.0m
OVERALL WIDTH	1.93m	2.53m	3.13m
APPROX WEIGHT	467kg	640kg	722kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	3	4	5
POWER REQUIRED	30hp	40hp	55hp
WORKRATE (AT 12MPH)	7.4 acres/hr	9.8 acres/hr	12.3 acres/hr

RIGID-DECK OPTIONS

- ✓ **FRONT MOUNTING**
- ✓ **REMOTE GREASING**
- ✓ **DEEP SKIDS**

BLADE OPTIONS
(RMX-180 / RMX-240 / RMX-300 / RMX FRONT MOUNT)

- ✓ **PROMULCHER**
MULCHING BLADES
- ✓ **GOLDCUT BLADES**
– AS STANDARD
- ✓ **SPIROCUT 4**
BLADE SYSTEM



SCAN TO SEE IT IN ACTION



✓ **IDEAL FOR:** COUNCILS & LARGE AMENITY AREAS, CONTRACTORS, POLO PITCHES, RACECOURSES, SPORTS TURF, TURF FARMS, SCHOOLS & UNIVERSITY & AIRFIELDS

The Wessex **RMX PROLINE TRI-DECK** machines have set a new benchmark in high output roller mowers. Incorporating all the benefits of the popular rigid deck units into one superb machine, these mowers are the perfect choice for the council and local authority contractor.

- ✓ **IT IS PROVEN TO PRODUCE THE FINEST CUT QUALITY ON THE MARKET** – The best presentation in all weather conditions.
- ✓ **IT HAS THE LARGEST WHEELS AND TYRES** – For minimal ground compaction
- ✓ **THE NARROWEST TRANSPORT WIDTH** – Imperative for transporting between jobs
- ✓ **THE STRONGEST AND MOST RELIABLE DRIVE TRANSMISSION** – Means less downtime
- ✓ **LOWER TRACTOR HP REQUIREMENTS** – From just 60hp
- ✓ **MINIMAL GREASE POINTS** – Reduced maintenance
- ✓ **LED LIGHTING WITH STROBE AS STANDARD** – Long service life and optimal lighting. Numberplate mounting position included.
- ✓ **PROLIFT** – Allows simple partial deck lift for crossing paths. Fitted as standard

MORE GREAT FEATURES



“ I have owned a Wessex mower for eight years and completed one season with the new **RMX-500 G2**.

The machine is excellent. The new, improved chassis and folding-deck design take this machine to the next level. The very high blade tip speed produces a superb finish in both the wet and dry with excellent distribution of clippings.

I'm cutting up to 130 acres per week, reaching cutting speeds of 15kph. We achieve a 15% time-saving improvement on previous models with this machine. With the excellent service from Wessex and great backup from my local dealer, I'm looking forward to taking the **RMX-500 G2** into the next season. ”

MALCOLM WEAVER – MW AGRI LTD

RMX G2 TRI-DECK MOWERS



	RMX-500	RMX-620	RMX-680	RMX-800
CUTTING WIDTH	5.0m	6.2m	6.8m	8.0m
OVERALL WIDTH	5.13m	6.33m	6.93m	8.13m
TRANSPORT WIDTH	2.3m	2.3m	2.53m	2.53m
CENTRE DECK	1.8m	1.8m	2.4m	2.4m
WING DECKS	1.8m	2.4m	2.4m	3.0m
WEIGHT	2460kg	2760kg	2960kg	3080kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	9	11	12	14
POWER REQUIRED	60hp	75hp	80hp	100hp
WORKRATE (AT 12MPH)	20.5 acres/hr	25.5 acres/hr	27.9 acres/hr	38.6 acres/hr
GREASE POINTS	51	54	57	60
TYRE SIZE	15.0/55 -17	15.0/55 -17	15.0/55 -17	15.0/55 -17
SPRUNG AXLE	Yes	Yes	Yes	Yes

TRI-DECK OPTIONS

- ✓ **PROLIFT² HYDRAULIC OR ELECTRIC INDEPENDENT DECK LIFT**
- ✓ **DEEP SKIDS**
- ✓ **HYDRAULICS BRAKES**
- ✓ **SPARE WHEEL & SCREW JACK**
- ✓ **REMOTE UNLATCH**
- ✓ **DOUBLE CLEVIS HITCH**
- ✓ **REMOTE GREASING**

BLADE OPTIONS
(RMX-500 / RMX-620 / RMX-680 / RMX-800)

- ✓ **PROMULCHER**
MULCHING BLADES
- ✓ **GOLDCUT BLADES**
– AS STANDARD
- ✓ **SPIROCUT⁴**
BLADE SYSTEM



SCAN TO SEE IT IN ACTION

✓ **NARROW TRANSPORT WIDTH**



✓ **PROLIFT – ALLOWS SIMPLE PARTIAL DECK LIFT FOR CROSSING PATHS**



✓ **PROLIFT² – OPTIONAL INDEPENDENT DECK LIFT**



PROVEN TO PRODUCE THE FINEST CUT QUALITY ON THE MARKET

– THE BEST PRESENTATION IN ALL WEATHER CONDITIONS, INCLUDING THE RAIN!



COUNCILS & LARGE AMENITY AREAS

MODEL SHOWN **RMX-500**



CONTRACTORS

(SHOWN IN THE RAIN)

MODEL SHOWN **RMX-500**



SPORTS TURF

(SHOWN IN THE RAIN)

MODEL SHOWN **RMX-500**



LONG GRASS

MODEL SHOWN **RMX-500**



POLO PITCHES

MODEL SHOWN **RMX-800**



RACECOURSES

MODEL SHOWN **RMX-500**



TURF FARMS & AIRFIELDS

MODEL SHOWN **RMX-800**



**BRITISH MANUFACTURING
EXCELLENCE SINCE 1962**

**CRX WINTER SERVICE KITS
(STD BLADES/BOLTS/BELTS/GREASE)**

✓ AVAILABLE FOR MODELS
**CRX-150, CRX-180, CRX-240, CRX-320,
CRX-410 & CRX-500**

**RMX G2 WINTER SERVICE KITS
(STD BLADES/BOLTS/BELTS/GREASE)**

✓ AVAILABLE FOR MODELS
**RMX-180, RMX-240, RMX-300,
RMX-500-G2, RMX-620-G2, RMX-680-G2
& RMX-800G2**

When only the best will do...

SPECIFICATION COMPARISONS

CRX

CRX RIGID & TRI-DECK MOWERS

	CRX G2 RIGID-DECK MOWERS			CRX G2 TRI-DECK MOWERS		
	CRX-150	CRX-180	CRX-240	CRX-320	CRX-410	CRX-500
CUTTING WIDTH	1.5m	1.8m	2.4m	3.2m	4.1m	5.0m
OVERALL WIDTH	1.66m	1.96m	2.56m	3.35m	4.24m	5.14m
TRANSPORT WIDTH	1.66m	1.96m	2.56m	2.1m	2.1m	2.1m
APPROX WEIGHT	266kg	294kg	365kg	1,360kg	1,500kg	1,665kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm	10-110mm	10-110mm	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	3	3	3	9	9	9
POWER REQUIRED	18hp	20hp	25hp	35hp+	40hp	45hp



RMX

RMX G2 RIGID & TRI-DECK MOWERS

	RMX G2 RIGID-DECK MOWERS			RMX G2 TRI-DECK MOWERS			
	RMX-180	RMX-240	RMX-300	RMX-500	RMX-620	RMX-680	RMX-800
CUTTING WIDTH	1.8m	2.4m	3.0m	5.0m	6.2m	6.8m	8.0m
OVERALL WIDTH	1.93m	2.53m	3.13m	5.13m	6.33m	6.93m	8.13m
TRANSPORT WIDTH	—	—	—	2.3m	2.3m	2.53m	2.53m
CENTRE DECK	—	—	—	1.8m	1.8m	2.4m	2.4m
WING DECKS	—	—	—	1.8m	2.4m	2.4m	3.0m
WEIGHT	467kg	640kg	722kg	2460kg	2760kg	2960kg	3080kg
CUTTING HEIGHT RANGE	10-110mm	10-110mm	10-110mm	10-110mm	10-110mm	10-110mm	10-110mm
NO. OF CUTTING SPINDLES	3	4	5	9	11	12	14
POWER REQUIRED	30hp	40hp	55hp	60hp	75hp	80hp	100hp
WORKRATE (AT 12MPH)	7.4 acres/hr	9.8 acres/hr	12.3 acres/hr	20.5 acres/hr	25.5 acres/hr	27.9 acres/hr	38.6 acres/hr
GREASE POINTS	—	—	—	51	54	57	60
TYRE SIZE	—	—	—	15.0/55 -17	15.0/55 -17	15.0/55 -17	15.0/55 -17
SPRUNG AXLE	—	—	—	Yes	Yes	Yes	Yes





✓ **IDEAL FOR:** COUNCILS, CONTRACTORS & SPORTS PITCHES

Reduced budgets and less frequent mowing cycles mean that the local authorities require a machine that will cut and mulch lush grass without untidy swathing, as with a rotary mower. The Wessex **FRX-150/FRX-150-H** (hydraulic version) out-front flail mowers will do just that!

FRX MOWERS

	FRX-150
CUTTING WIDTH	1.5m
OVERALL WIDTH	1.73m
WEIGHT	220kg
CUTTING HEIGHT RANGE	25-100mm
NO. OF FLAILS	34



KEY FEATURES & BENEFITS

- ✓ **AERODYNAMIC HEAVY-DUTY CAST HAMMER FLAILS** – Minimum power consumption, with maximum results.
- ✓ **FULL WIDTH ANTI-SCALP ROLLER** – No unsightly scalping.
- ✓ **INTEGRAL ROLLER BEARINGS** – Protected for long service life.
- ✓ **SIMPLE AND POSITIVE HEIGHT ADJUSTMENT** – Ease of operation.
- ✓ **PUNCTURE PROOF TYRES** – Low maintenance.
- ✓ **TWIN DRIVE BELT TRANSMISSION** – Handles dense vegetation.
- ✓ **FULLY GUARDED TO HSE SPECIFICATIONS** – Meets local authority requirements.
- ✓ **CONTIFLOW DECK DESIGN** – Low profile deck design follows the path of the flails at a constant distance increasing the suction effect and improving mulching efficiency.
- ✓ **FLOATING LINKAGE** – Excellent ground contour following and a generous lift height which is ideal for kerb clearance and trailer ramps etc.
- ✓ **WIDE OUTLET** – Maximum performance in long grass.
- ✓ **HARDENED STEEL STONE GUARDS** – Safety in public areas.
- ✓ **RIGHT ANGLE DRIVE GEARBOX OR HYDRAULIC MOTOR** – Smooth and quiet operation.
- ✓ **ROTOR BEARING GUARDS** – Protected for long service life.
- ✓ **ADJUSTABLE SIDE SKIDS WITH REMOVABLE WEAR-SHOES** – Low maintenance costs.



FOR THE LEADING BRANDS OF POWER UNITS

JOHN DEERE, KUBOTA, SHIBAURA, NEW HOLLAND, RANSOMES, & ISEKI



SCAN TO SEE IT IN ACTION



✓ **IDEAL FOR:** PRIVATE ESTATES, GOLF COURSES, SPORTS PITCHES, COUNCILS & CONTRACTORS

MULTI-FUNCTIONAL COLLECTORS

Available in 1.2m and 1.8m working widths, the **STC COLLECTOR** is a true, all-year-round machine for the maintenance of public parks, large amenity areas, sports turf and private estates.

Whether the requirement is for a flail collector to cut and collect on an out of season wild flower meadow, a professional scarifier for use on a sports pitch, or for a sweeper collector for clearing autumn leaves from areas of parkland, the **STC-120/180** is the ideal machine.

OPTION CHANGE KITS

OPTION CHANGE KITS ARE AVAILABLE TO CHANGE BETWEEN THE MODES.

KEY FEATURES & BENEFITS

- ✓ **MULTIFUNCTIONAL** – Use one machine for sweeping, scarifying and flail mowing.
- ✓ **ALL YEAR ROUND MAINTENANCE MACHINE** – Reduced capital outlay.
- ✓ **LARGE CAPACITY HOPPER** – For improved workrates.
- ✓ **SEMI MOUNTED TO THE TRACTOR** – High capacity machine on a small tractor, reduces running costs.
- ✓ **HYDRAULIC TIP** – Ease of emptying.
- ✓ **WIDE TURF TYRES** – Minimal ground compaction.
- ✓ **ADJUSTABLE DRAWBAR** – Ideal for various size tractors.
- ✓ **RUNS ON ITS OWN FOUR WHEELS** – Follows ground contours accurately.
- ✓ **SIMPLE HEIGHT ADJUSTMENT** – Ease of operation.
- ✓ **PREMIUM POWDER-COAT PAINT FINISH** – Maximum durability.

STC COLLECTORS

	STC-120	STC-180
WORKING WIDTH	1.2m	1.8m
OVERALL WIDTH	1.6m	2.2m
HOPPER CAPACITY	1.5m ³	2.25m ³
TIPPING HEIGHT	1.3m	1.3m
WEIGHT (IN SWEEPER MODE)	520kg	635kg
POWER REQUIRED	18hp	25hp



✓ **ASJUSTABLE DRAWBAR**



✓ **HYDRAULIC TIP**



✓ **STC-120**



✓ **STC-180**

STC SWEEPER COLLECTOR

COLLECTS AUTUMN LEAVES AND DEBRIS BRILLIANTLY.

When in sweeping mode, the **STC** is fitted with the brush rotor comprising 4 banks of hard-wearing polypropylene bristles which will lift autumn leaves, grass clippings and litter effortlessly into the hopper. The bristles, which are secured firmly into a pre-drilled strip with a wire staple, are a generous length to give a good 'flick' action ensuring that the material is thrown to the back of the hopper.

Mode 1



✓ **STC SWEEPER DETAIL**



STC FLAIL COLLECTOR

TACKLING LONG OR SHORT GRASS IS NO PROBLEM!

As a flail collector, the **STC** is fitted with a large diameter steel drum rotor with 4 rows of closely spaced flails, and 2 rows of draft paddles to create the suction for collecting the grass. The **STC** has a wide opening, therefore long or short grass will be collected efficiently without blocking even in wet conditions.

Mode 2



✓ **STC FLAIL DETAIL**



Not only will the **STC** leave a fine finish on short turf, but is also ideal for end of season clearance of wild flower areas or golf course rough.

STC SCARIFIER COLLECTOR

LEAVES SPORTS TURF AT THE TOP OF IT'S GAME!

When in scarifying mode, the flail blades are replaced with 2mm verti-cutting knives for a professional scarifying operation. Ideal for sports field work or lawns, the **STC** scarifier will leave a clean cut through the turf at approx. 30mm centres and will collect the debris in one pass.

Mode 3



✓ **STC SCARIFIER DETAIL**





When only the best will do...

DEALER STAMP

Charlton House,
Caxton Close,
East Portway Ind. Est.,
Andover,
Hampshire,
SP10 3QN

T: 01264 345870
F: 01264 345880
E: sales@wessexintl.com
www.wessexintl.com

Follow us on    



BRITISH MANUFACTURING
EXCELLENCE SINCE 1962

