

COUNTRYLINE RANGE

TRACTOR MOUNTED ATTACHMENTS FOR THE AGRICULTURAL, ESTATE & EQUESTRIAN MARKETS.





SINCE 1962 THE WESSEX NAME HAS BEEN SYNONYMOUS WITH SUPERB QUALITY, British

built machines for the agricultural and groundcare markets. Our equipment is built for demanding applications, where reliability and durability are paramount.

WESSEX INTERNATIONAL'S global distribution network has distributors and dealerships in many countries. Whatever Wessex product you invest in, you can be sure of support from your local dealer right through the machines lifetime, backed by Wessex International's commitment to excellent customer service.

Our friendly and knowledgeable staff are here to advise you on the best equipment for your application. We are convinced you will find our machinery beneficial to your organisation both in terms of user satisfaction and economic ownership.

When only the best will do ...

BRITISH MANUFACTURING EXCELLENCE SINCE 1962

We are proud to announce that we've recently become members of the coveted **MADE IN** BRITAIN - OFFICIAL MARK. We have designed and manufactured British machinery since 1962 and are proud of our British heritage, so it's something we're really passionate to be part of.

Investing in our manufacturing ensures we invest in our incredible economy, and it gives you confidence that our products will keep you moving around the clock.







In the heart of rural Hampshire, WESSEX began manufacturing grass cutting and forage equipment

19705

WESSEX were the first to manufacture a range of scaled down implements to suit the new compact tractor from Japan

1980s

WESSEX increased their focus on equipment to meet the needs of landscapers and grounds maintenance

19905

As ATVs started to grow in popularity, **WESSEX** produced a line-up of attachments to suit

2003

Broadwood International was established as the distributor of quality equipment including the well-known **SNOWEX** salt spreaders & **SWEEPEX** push brooms

2008

Broadwood International acquired WESSEX MACHINERY - now a leading manufacturer of professional grounds maintenance machinery

2012

WESSEX celebrates 50 YEARS of manufacturing and innovation

2014

In line with the increased focus on global distribution of the **WESSEX** product range, the company has been renamed **WESSEX INTERNATIONAL**. This coincides with relocation to the current 50,000sqft factory in

2020

The introduction of WESSEX POLARONETM Salt and Grit Spreaders

2021

Building on 30 years of innovation, WESSEX have refined, and enhanced the **AF** FLAIL MOWER series to launch **GENERATION 2 AF** Flail Mowers



YEARS

WESSEX PARTS WEBSITE

ORDER YOUR WESSEX PARTS ONLINE NOW!

WHY SHOULD YOU TAKE THE PLUNGE?



GO TO

WWW.WESSEXINTL.COM/PARTS TO ORDER YOURS NOW!



*See below for terms

W SPARE PARTS

Only genuine Wessex spare parts should be used to maintain optimum performance from your Wessex machine. To minimise costly machine downtime, parts orders are dispatched daily to our professional dealer network by next-day carrier service (UK mainland), and 2 day for UK Highlands & Islands. If ordered before 1:00pm, parts will be dispatched the same day (subject to availability)

OUR ONLINE PARTS STORE IS OPEN 24 HOURS A DAY, 365 DAYS A YEAR.

Order your parts from your mobile or computer and we'll take care of the rest.

T: 01264 345878 **E:** parts@wessexintl.com

WESSEX TIMELINE & WESSEX SPARE PARTS

CONTENTS



Charlton House, Caxton Close, Andover, **SP10 30N** United Kingdom

T: +44 (0)1264 345870 F: +44 (0)1264 345880

SALES

T: 01264 345870 (option 2) **E:** sales@wessexintl.com

PARTS

T: 01264 345870 (option 1)

F: 01264 345880

E: parts@wessexintl.com

PRODUCT SUPPORT

T: 01264 345870 (option 2) **E:** service@wessexintl.com

WARRANTY

T: 01264 345888

E: warrantyadmin@wessexintl.com

MARKETING TEAM

T: 01264 345870 (option 5)

E: marketing@wessexintl.com



WESSEX ARE SOCIAL:

Follow us on: #TEAMWESSEX for the latest news





COUNTRYLINE RANGE

TRACTOR MOUNTED ATTACHMENTS FOR THE AGRICULTURAL, **ESTATE & EQUESTRIAN MARKETS.**

FINISHING MOWERS

CMT-150, 1.5m, CMT-180, 1.8m, CMT-210, 2.1m

ROTARY SLASHER

SM-66, 1.7m

FLAIL MOWERS

WFM-125, 1.25m, WFM-145, 1.45m, WFM-175, 1.75m, WFM-220, 2.25m

OUT-FRONT FLAIL MOWERS

FRX-150, 1.50m, FRX-150-H, 1.50m

HEDGE CUTTERS

CHT-120, 1.2m, CHT-100R, 1.0m

TIPPING TRAILERS

1.25-LGPW, 1.25ton, **1.5T-LGPW,** 1.5ton, **3.0T-LGPW,** 3.0ton

FERTILISER SPREADER

FS-360-P

ROTARY CULTIVATOR

RC-120, 1.2m, RC-150, 1.5m, RC-190, 1.9m

LOG SPLITTER

LS-100

6	SWEEPER COLLECTORS MTX-120, 1.2m, MTC-120, 1.2m	18
7	PADDOCK CLEANER STX-120 1.2m, STX-180, 1.8m	19
8	MULTIFUNCTIONAL COLLECTORS STC-120 1.2m, STC-180, 1.8m	20
10	BROOMEX PUSH BROOM BENEFITS	24
	BROOMEX C-BROOM	26
	BM-150 MAX, BM-180 MAX, BM-240 MAX,	
12	BM-300 MAX, BM-360 MAX	
14	BROOMEX BM PUSH BROOMS BM-150, BM-180, BM-240, BM-300, BM-360	28
15	BROOMEX BP PUSH BROOMS BP-150, BP-180, BP-240	29
16	BROOMEX APPLICATIONS	30
17	WESSEX MERCHANDISE	31









The Wessex CMT SERIES FINISHING **MOWERS** are an entry level range with superb build quality and great value for money. Available in 3 working widths, they are ideal for private estates and gardens.

3 overlapping rotors prevent unsightly uncut strips and the wheels are easily adjusted to the perfect cutting height. A perfect addition to any compact tractor.

SPECIFICATIONS

	CMT-150	CMT-180	CMT-210
Working width	1.5m	1.8m	2.10m
Overall width	1.63m	1.92m	2.25m
Cutting height range	19-110mm	19-110mm	19-110mm
Weight	226kg	251kg	300kg
Minimum power required	20hp	25hp	30hp
3-Point hitch type	Category 1	Category 1	Category 1
PTO Input speed	540	540	540
Number of blades	3	3	3

KEY FEATURES & BENEFITS

- **3 OVERLAPPING ROTORS** No uncut strips of grass
- **✓ ADJUSTABLE LOWER LINK POINTS** Will suit any compact tractor
- **✓ SIMPLE BELT ADJUSTMENT** Ease of maintenance
- **✓ FLOATING TOP LINK POINT** Accurate ground contour following
- ✓ SIMPLE CUTTING HEIGHT ADJUSTMENT Ease of operation
- **✓ OPTIONAL BLADES** Lacerates clippings enhancing
- **✓ ANTI-SCALP ROLLER** to reduce scalping on undulating ground
- **STRONG BUILD QUALITY** increasing product

In short, the Wessex **SCRUBMASTER ROTARY**

SLASHER is unstoppable!Built to cope with the most arduous applications, this robust machine is ideal for controlling areas of dense vegetation and heavy scrubland ie, forestry plantations, firebreaks, rides, and gorse moorlands etc.

The massive blades will deliver over 3,000 1 ton impact cuts per minute making light work of brambles, gorse, heather and trees / saplings up to 100mm diameter. The chain cutters are recommended in areas where there are likely to be hidden rocks, boulders and tree stumps etc. The chains will thoroughly lacerate cut material, accelerating the breakdown and rotting process.

SPECIFICATIONS

SM-66 Working width 1.7m Overall width 1.8m Blade tip speed 70.7 m/s

Weight (blades & chains) 516kg blades / 468kg chains Minimum power required

45hp

KEY FEATURES & BENEFITS

- **✓ HEAVY-DUTY CONSTRUCTION** Durability
- **✓ MASSIVE GEARBOX** Maximum drive transmission
- FRICTION PLATE CLUTCH Overload protection
- **✓** BLADE OR CHAIN CUTTERS ARE INTER-**CHANGEABLE** – Varying applications
- **▼ REPLACEABLE SKID SHOES** Ease of maintenance
- **FLOATING HEADSTOCK** Follows ground contours in rough areas
- **✓ ADJUSTABLE SIDE SKIDS** Simple height adjustment

When only the best will do ...



For control of dense vegetation, long grass and woodland rides, the Wessex WFM FLAIL **MOWERS** are a real tough performer and are perfectly suited to the job. Hammer flails pulverise tough material while a full width adjustable rear roller maintains an even cutting height.

These machines can be used in-line or offset, and are available to suit compact tractors from 18hp. The Wessex **WFM** flail mower is the machine of choice for the discerning smallholder!





W KEY FEATURES & BENEFITS

- **✓** FOR TRACTORS FROM 18HP TO 60HP
- **✓ MANUAL SIDES SHIFT** (WFM-125), **HYDRAULIC SIDE SHIFT** (WFM-145, WFM-175 & WFM-220)
- **✓** CENTRAL GEARBOX EQUIPPED WITH FREE WHEEL CLUTCH
- **✓ FULL WIDTH ADJUSTABLE REAR ROLLER**
- **✓** COUNTER KNIFE MULCHING BAR
- **✓** CE SAFETY CERTIFIED
- **✓** ADJUSTABLE SIDE SKIDS
- **✓** CAT 1, 3-PT HITCH
- **✓** SUPPLIED WITH HAMMER FLAILS

SPECIFICATIONS

	WFIVI-725*	WFIVI-745
Overall width	1.35m	1.62m
Working width	1.25m	1.45m
Weight	160kg	385kg
Tractor horsepower	18hp	25hp
No. of hammers	18	18
No. of belts	3	4
Side shift	Manual - 100mm	Hydraulic - 300mm
	WFM-175	WFM-220
Overall width	WFM-175 1.92m	WFM-220 2.37m
Overall width Working width		
	1.92m	2.37m
Working width	1.92m 1.75m	2.37m 2.25m
Working width Weight	1.92m 1.75m 425kg	2.37m 2.25m 530kg
Working width Weight Tractor horsepower	1.92m 1.75m 425kg 40hp	2.37m 2.25m 530kg 60hp
Working width Weight Tractor horsepower No. of hammers	1.92m 1.75m 425kg 40hp 22	2.37m 2.25m 530kg 60hp 28

*Suitable for sub-compact tractors







Reduced budgets and less frequent mowing cycles mean that the local authorities require a machine that will cut and mulch lush grass without untidy swathing, as with a rotary mower. The Wessex **FRX-150/FRX-150-H** (hydraulic version) out-front flail mowers will do just that!



KEY FEATURES & BENEFITS

- **1 AERODYNAMIC FLAILS** Minimum power consumption.
- **2** FULL WIDTH ANTI-SCALP ROLLER No. unsightly scalping.
- 3 INTEGRAL ROLLER BEARINGS Protected for long service life.
- **4** SIMPLE AND POSITIVE HEIGHT **ADJUSTMENT** – Ease of operation.
- **5 PUNCTURE PROOF TYRES** Low maintenance.
- TWIN DRIVE BELT TRANSMISSION Handles dense vegetation.
- **7** FULLY GUARDED TO HSE SPECIFICATIONS
- Meets local authority requirements.
- **8 CONTIFLOW DECK DESIGN** Low profile deck design follows the path of the flails at a constant distance increasing the suction effect and improving mulching efficiency.
- **9 FLOATING LINKAGE** Excellent ground contour following and a generous lift height which is ideal for curb clearance and trailer ramps etc.
- **10 WIDE OUTLET** Maximum performance in long grass.
- 11 HARDENED STEEL STONE GUARDS Safety in public areas.
- **12** RIGHT ANGLE DRIVE GEARBOX OR **HYDRAULIC MOTOR** – Smooth and guiet
- **13 ROTOR BEARING GUARDS** Protected for long service life.
- **14** ADJUSTABLE SIDE SKIDS WITH **REMOVABLE WEAR-SHOES** – Low maintenance costs.

SPECIFICATIONS

	FKX-150	FKX-150-H	
Cutting width	1.5m	1.5m	
Overall width	1.73m	1.73m	
Weight	220kg	212kg	
Cutting height range	25-100mm	25-100mm	
No. of flails	34	34	










The Wessex **CHT-120** 1.2m hedge cutter is perfect for trimming small trees, hedges and pruning edges, and are ideal for compact tractors of 15hp and above. The model features a 1.2m cutter bar and comes complete with hydraulic spool lever controls. Note* electric joystick controls required for enclosed



SPECIFICATIONS

	CITI-ILU	
Cutter head size	120cm	100cm
Vertical reach	410cm	500cm
Horizontal height	260cm	380cm
Horsepower required	15 - 40hp	25+hp
Oil flow (L/min)	12	20
Weight	180kg	220kg
Minimum tractor weight	500kg	700kg

CHT-100R

	A	B	C	D	E
CHT-120	100	140	170	260	410

	A	B	C	D	E	F	G
CHT-100R	85	150	210	380	500	240	190

The Wessex **CHT-100R** is a hydraulically driven three-blade rotary hedge cutter. It's designed to cut and shred hedges and shrub to a superb standard due to its fast spinning fine cut blades. It has a cutting head of 1m and a maximum vertical reach of 5m.

The **CHT-100R** only requires a small tractor of 800kg or more with 1 double acting hydraulic spool. So its perfectly suited for golf and sports clubs & private estates.



W KEY FEATURES & BENEFITS

- **SHARP SWINGING TIP BLADES** The high blade speed will produce a very premium quality of cut. The blades can pivot to minimise damage and are hardened for long life.
- **✓ MULCHING BAFFLE SYSTEM** The cutting head retains the clippings inside the deck in order to thoroughly mulch the clippings
- **✓ SMALL TRACTOR REQUIREMENT** Can be fitted to small tractors and still achieve a large reach
- **REVERSIBLE FRAME** The frame can be reversed in order to fit onto the front of tractors.
- **FRAME TILTING SYSTEM** Possible to operate the hedge cutter on both sides of the tractor.
- **CONTROL OPTIONS** A choice of cable or joystick controls
- **✓** STORAGE LEGS AND FORK SLEEVE LIFT **POINTS** – For ease of maintenance and storage.





WWESSEX

WINTER SPREADER KIT **EXTENDED** AGITATOR FILTERING GRID

AVAILABLE

Wessex HYDRAULIC TIPPING TRAILERS are available in 3 sizes; 1.25 ton, 1.5 ton & 3 ton gross weights. Aimed at the private estate, hobby farmer, groundscare & golf course applications, these popular trailers are ideal for hauling a variety of materials.

The optional weld-mesh extension sides are available on all models and will increase the carrying capacity when transporting bulky materials i.e. grass clippings and leaves etc.

KEY FEATURES & BENEFITS

- ALL-STEEL CONSTRUCTION Durability
- ✓ REMOVABLE SIDES Versatility
- **✓ HINGED TAILGATE** Ease of emptying
- **TURF TYRES** Minimal turf compaction
- **✓ OPTIONAL EXTENSION SIDES** Increased carrying capacity
- **✓ OPTIONAL LIGHTING KIT** Be seen in the dark!

SPECIFICATIONS

1-125	1.5 I-EUPV
1.9m	2.1m
1.1m	1.2m
2.7m	3.14m
0.35m	0.38m
0.6m	0.65m
1.25	1.5
20x8x10	23x10.5x12
273.5kg	342.5kg
	1.1m 2.7m 0.35m 0.6m 1.25 20x8x10

3.0T-LGPW

Bed length Bed width 1.5m Overall length 3.55m 0.39m Bed height 0.7m Weight capacity (ton gross) 3.0 26x12x12 Tyre size **Trailer weight** 448.5kg



The Wessex **FS-360-P** is a mounted spreader with a polypropylene non-corrosive hopper, and it's an excellent addition to any fleet of groundcare equipment.

Built to provide an economical yet extremely effective means of spreading fertiliser, seed, lime or dry salt this 385 litre capacity spreader simply connect to the tractor's 3 point hitch and PTO.

SPECIFICATIONS

FS-360-P 385 litres **Hopper Capacity** 450 kilos **Hopper Capacity kilos** 1.13m Height 63kg Weight Spread width Up to 14m

KEY FEATURES & BENEFITS

- **385 LITRE CAPACITIES** A machine for every
- **✓ STAINLESS STEEL DISC** Resistance against
- **✓ ADJUSTABLE FINS** Alter spread pattern
- **✓ OPTIONAL WINTER KIT** Ideal for winter maintenance applications
- **✓** WILL SPREAD A WIDE VARIETY OF MATERIALS

When only the best will do ...









Create the perfect seed bed or vegetable garden with a Wessex **LANDMASTER ROTARY CULTIVATOR.** Available in 1.2, 1.5 and 1.9m working widths, they are ideal for nurseries and glasshouses as well as private gardens, and boast features found on much more expensive models, such as slip clutch, adjustable tailgate and adjustable side depth skids.

SPECIFICATIONS

RC-120	RC-150	RC-190
1200mm	1500mm	1900mm
1340mm	1645mm	2100mm
36	42	48
180kg	200kg	420kg
165mm	165mm	180mm
20hp	25hp	45hp
	1200mm 1340mm 36 180kg 165mm	1200mm 1500mm 1340mm 1645mm 36 42 180kg 200kg 165mm 165mm

Coupled to a compact tractor from 20hp+, the Wessex **LANDMASTER** rotary cultivator also meets all UK guarding regulations, for peace of mind.

W KEY FEATURES & BENEFITS

- **✓** HEAVY CAST GEARBOX
- CHAIN & SPROCKET DRIVE
- ADJUSTABLE SIDE SKIDS
- ✓ ADJUSTABLE TAILGATE
- **✓** CE CERTIFIED
- **✓** AVAILABLE IN 1.2, 1.5 AND 1.9M **WORKING WIDTHS**

The Wessex **LS100 LOGSPLITTER** turns a chore into an enjoyable task! With up to 10 ton of splitting force* at its disposal, the LS100 will effortlessly crack logs up to 18"/ 450mm in height.

A floor-level platform means loading logs onto the splitter is safe and easy, whilst two-handed operation keeps the operator protected.

SPECIFICATIONS

	LS-100
Weight	65kg
Height	1450mm
Width	850mm
Depth	590mm
Linkage	Cat 1
Pipe fittings	½ inch quick release p
A ALL COLORS	201

robes Minimum power required

KEY FEATURES & BENEFITS

- ✓ POWERFUL 10 TON SPLITTING FORCE Crack the toughest logs!
- **2 HAND CONTROL** Meets HSE requirements
- **SIMPLISTIC DESIGN** Easy to use
 - * depending on tractor's hydraulic system

SPLITTING FORCE

PSI	BAR	TONNAGE ACHIEVED
3500	240	10
3000	210	6.5
2500	172	5







The Wessex MTC/MTX TRAILED **COLLECTORS** are available as a sweeper

collector or a paddock cleaner in both PTO or engine driven versions for use behind a small tractor an ATV or UTV.

As a sweeper collector, the machine is fitted with supple bristles for turfcare applications. Grass clippings, autumn leaves and other debris will be flicked effortlessly into the hopper without damaging fine turf. The paddock cleaner version is fitted with a row of sprung steel tines in front of the rotor which loosens stubborn muck. The rotor is fitted with a heavy-duty bristle for maximum efficiency in a paddock environment. When full, the hopper is rolled over by means of a hand-operated winch to leave a clean discharge onto the ground.



Working width 1.2m Overall width 1.85m Hopper capacity 0.7m³ (approx.) Weight 317kg

SUPPLIED WITH TIMES AND STIFF BRISTLES



With the **STX PADDOCK CLEANERS** in 1.2m or 1.8m widths, the chore of collecting horse muck is turned into a pleasure.

The strong and simple sweeping action of this machine will collect horse droppings, twigs and other debris into the hopper whilst the grass benefits from the regular grooming action of the bristles – an advantage not gained from vacuum machines. A powerful hydraulic ram tips debris from the hopper at a height of 1.3m into a low trailer or heap on the ground.



KEY FEATURES & BENEFITS

- **✓** HARD WEARING POLYPROPYLENE **BRISTLES** – Clean sweep every time.
- **✓ BRUSHES EASILY REPLACEABLE** Ease of
- **✓** GROOM THE PADDOCK AS YOU SWEEP Generate new fresh grass
- **✓ HYDRAULIC TIP** Clean discharge

SPECIFICATIONS

	STX-120	STX-180
Working width	1.2m	1.8m
Overall width	1.6m	2.2m
Hopper capacity	1.5m³	2.25m³
Tipping height	1.3m	1.3m
Weight	530kg	645kg
Minimum power required	18hp	25hp

DUNG BEETLE



MULTI-FUNCTIONAL COLLECTORS

Available in 1.2m and 1.8m working widths, the **STC COLLECTOR** is a true, all-year-round machine for the maintenance of public parks, large amenity areas, sports turf and private estates.

Whether the requirement is for a flail collector to cut and collect on an out of season wild flower meadow, a professional scarifier for use on a sports pitch, or for a sweeper collector for clearing autumn leaves from areas of parkland, the **STC-120/180** is the ideal machine.

KEY FEATURES & BENEFITS

- **✓ MULTIFUNCTIONAL** Use one machine for sweeping, scarifying and flail mowing.
- **✓** ALL YEAR ROUND MAINTENANCE MACHINE Reduced capital outlay.
- ✓ LARGE CAPACITY HOPPER For improved workrates.
- **SEMI MOUNTED TO THE TRACTOR** High capacity machine on a small tractor, reduces running costs.
- **HYDRAULIC TIP** Ease of emptying.
- **✓ WIDE TURF TYRES** Minimal ground compaction.
- ✓ **ADJUSTABLE DRAWBAR** Ideal for various size tractors.
- **✓ RUNS ON ITS OWN FOUR WHEELS** Follows ground contours accurately.
- **✓ SIMPLE HEIGHT ADJUSTMENT** Ease of operation.
- ✓ PREMIUM POWDER-COAT PAINT FINISH Maximum durability.

















STC SWEEPER COLLECTOR

Collects autumn leaves and debris brilliantly.

When in sweeping mode, the **STC** is fitted with the brush rotor comprising 4 banks of hard-wearing polypropylene bristles which will lift autumn leaves, grass clippings and litter effortlessly into the hopper. The bristles, which are secured firmly into a pre-drilled strip with a wire staple, are a generous length to give a good `flick` action ensuring that the material is thrown to the back of the hopper.



STC FLAIL COLLECTOR

Tackling long or short grass is no problem!

As a flail collector, the **STC** is fitted with a large diameter steel drum rotor with 4 rows of closely spaced flails, and 2 rows of draft paddles to create the suction for collecting the grass. The **STC** has no narrow throat as with many collectors, therefore long or short grass will be collected efficiently without blocking even in wet conditions.

Not only will the **STC** leave a fine finish on short turf, but is also ideal for end of season clearance of wild flower areas or golf course rough.



STC SCARIFIER COLLECTOR

Leaves sports turf at the top of it's game!

When in scarifying mode, the flail blades are replaced with 2mm verti-cutting knives for a professional scarifying operation. Ideal for sports field work or lawns, the STC scarifier will leave a clean cut through the turf at approx. 30mm centres and will collect the debris in one pass.











MODE CHANGE

Whatever mode the **STC** is purchased in, the option change kits allows the machine to be simply converted to perform the other 2 functions.

FROM	TO	STC-120	STC-180
Scarifier	Flail mower (flails only)	OCK 3	OCK 10
Scarifier	Flail mower (rotor change)	OCK 6	OCK 13
Scarifier	Sweeper (rotor change)	OCK 5	OCK 12
Flail mower	Scarifier (flails only)	OCK 4	OCK 11
Flail mower	Scarifier (rotor change)	OCK 7	OCK 14
Flail mower	Sweeper (rotor change)	OCK 5	OCK 12
Sweeper	Scarifier (rotor change)	OCK 1	OCK 8
Sweeper	Flail mower (rotor change)	OCK 2	OCK 9

SPECIFICATIONS						
	STC-120	STC-120				
Working width	1.2m	1.8m				
Overall width	1.6m	2.2m				
Hopper capacity	1.5m³	2.25m ³				
Tipping height	1.3m	1.3m				
Weight (in sweeper mode)	520kg	635kg				
Power required	18hp	25hp				



The **UNIQUE MODULAR BRUSH SYSTEM** that is extremely efficient and economical for all commercial sweeping!

- **TACKLES BULKY MATERIALS**
- **✓** WILL 'SQUEEGEE' WET SURFACES
- GENERATES MINIMAL DUST
- **✓** IS HIGHLY DURABLE
- **✓** SUPERB QUALITY
- **✓** IS THE EFFICIENT SWEEPING SOLUTION
- ✓ THE ORIGINAL AND THE BEST!

WHY BROOMEX?


From building sites to farmyards the versatile **BROOMEX** sweeper system saves time and money. With no moving parts to increase the danger of flying debris, **BROOMEX** is safe and maintenance-free. Attach a **BROOMEX** brush quickly and simply to your host vehicle and off you go! A wide range of hitches enables **BROOMEX** to be attached to compact and large tractors, telehandlers, forklifts, loaders and skidsteers.

KEY FEATURES & BENEFITS


- **✓** SWEEP UP TO 450 MILES BEFORE **CHANGING THE BRISTLES** – Save time and money
- ✓ A WIDE RANGE AVAILABLE A push broom to suit any sweeping application
- **✓ UNIQUE PATENTED FEATURES** A superior sweeping performance
- ✓ A WIDE RANGE OF HITCHES Mount the Broomex to the machine of your choice
- **✓ NO MAINTENANCE REQUIRED** Zero downtime
- **✓** 4MM HOOD THAT HAS BEEN SHOTBLASTED. **UNDERCOATED AND POWDERCOATED -**Extremely robust
- **✓ HARD WEARING POLY BRISTLES** Longevity
- **✓ NO STORAGE STAND REQUIRED** Simple storage for when not in use
- **✓ OPTIONAL MAGNETIC BARS** No more punctures or injured livestock
- **✓** DO YOU WANT TO KEEP THE PREMISES TIDY?
- **✓ CONCERNED ABOUT HEALTH & SAFETY?**

















CHANGE THE BRISTLES WITH EASE



M PLUS...

- **✓ NO MOVING PARTS**
- **✓ NO BELTS OR CHAINS**
- **✓** NO MOTOR
- **✓ NO DOWNTIME**
- **✓ NO PROBLEM**



The innovative **BROOMEX 'C-MAX'** combines the well-known **BROOMEX** concept of a heavy duty push broom together with the patented side retainers, which will hold bulk volumes of material in front of the brush without spillage.


The end brushes are carefully twisted to pull material away from a curb or wall and into the main path of the broom. This ensures a clean sweep right into those awkward corners without the danger of the hood damaging the wall. Sweeping times will be reduced even further, as those frustrating spill lines will be eliminated with the new **BROOMEX 'C-MAX'**

SPECIFICATIONS Width Brush rows

C-MAX TELEHANDLER

C-MAX FORK SLEEVE HITCH

BM-150 BM-180 BM-240 BM-300 BM-360 C-MAX C-MAX C-MAX C-MAX 3.6m 11 11 Weight 117.5kg 132.5kg 166.5kg 242kg 282kg **Bristle height** 280mm 280mm 280mm 280mm



When only the best will do ...














BROOMEX BM PUSH BROOMS have 11 rows of bristles for maximum sweeping power in demanding applications. Ideal for use with full sized tractors and telehandlers.

Hitch options include fork sleeve hitch, three-point tractor hitch or custom hitches to suit any type of materials handler, loader or skidsteer. Available in 1.5m, 1.8m, 2.4m, 3.0m widths and 3.6m widths.

SPECIFICATIONS

	BM-150	BM-180	BM-240	BM-300	BM-360
Width	1.5m	1.8m	2.4m	3.0m	3.6m
Brush rows	11	11	11	11	11
Weight	94kg	109kg	143kg	200kg	240kg
Bristle height	280mm	280mm	280mm	280mm	280mm

BROOMEX BP with 8 rows of bristles, is ideal for counter-balance fork trucks and compact tractors.

An integral fork hitch is standard. Available in 1.5m and 1.8m widths.



5 MEN SWEEPING FOR 1 HOUR OR 1 MAN SWEEPING FOR 5 MINUTES!

* COMPARISON BETWEEN USING MANUAL YARD BROOMS Vs A BROOMEX

When only the best will do ...

BM TELEHANDLER QUICK HITCH

BM FORK SLEEVE HITCH

APPLICATIONS FOR BROOMEX PUSH BROOMS









CALL US TO PLACE AN ORDER ON:

01264 345870





GARDEN CENTRES NESSEN





GOLF COURSES







One size fits all





Available in; S, M, L, XL, XXL, XXXL Available in; S, M, L, XL, XXL

















BEANIE

ICE SCRAPER



CONSTRUCTION SITES



GRAIN STORES



LANDSCAPE MAINTENANCE

One size fits all

Fits inside your wallet and made from recycled plastic



400ml capacity mug

Items may vary from those listed above.





WAREHOUSE & DISTRIBUTION SITES









DEALER STAMP

Charlton House, Caxton Close, East Portway Ind. Est., Andover, Hampshire, SP10[']3QN

T: 01264 345870 **F:** 01264 345880 **E:** sales@wessexintl.com www.wessexintl.com

Follow us on f in O









